CONCUSSION ACKNOWLEDGEMENT FORM

Name of	Student _			
I turne of	Othacii _			

Definition of Concussion - means a complex pathophysiological process affecting the brain caused by a traumatic physical force or impact to the head or body, which may: (A) include temporary or prolonged altered brain function resulting in physical, cognitive, or emotional symptoms or altered sleep patterns; and (B) involve loss of consciousness.

Prevention - Teach and practice safe play & proper technique.

- Follow the rules of play.
- Make sure the required protective equipment is worn for all practices and games.
- Protective equipment must fit properly and be inspected on a regular basis.

Signs and Symptoms of Concussion – The signs and symptoms of concussion may include but are not limited to: Headache, appears to be dazed or stunned, tinnitus (ringing in the ears), fatigue, slurred speech, nausea or vomiting, dizziness, loss of balance, blurry vision, sensitive to light or noise, feel foggy or groggy, memory loss, or confusion.

Oversight - Each district shall appoint and approve a Concussion Oversight Team (COT). The COT shall include at least one physician and an athletic trainer if one is employed by the school district. Other members may include: Advanced Practice Nurse, neuropsychologist or a physician's assistant. The COT is charged with developing the Return to Play protocol based on peer reviewed scientific evidence.

Treatment of Concussion - The student-athlete/cheerleader shall be removed from practice or participation immediately if suspected to have sustained a concussion. Every student-athlete/cheerleader suspected of sustaining a concussion shall be seen by a physician before they may return to athletic or cheerleading participation. The treatment for concussion is cognitive rest. Students should limit external stimulation such as watching television, playing video games, sending text messages, use of computer, and bright lights. When all signs and symptoms of concussion have cleared and the student has received written clearance from a physician, the student-athlete/cheerleader may begin their district's Return to Play protocol as determined by the Concussion Oversight Team.

Return to Play - According to the Texas Education Code, Section 38.157:

A student removed from an interscholastic athletics practice or competition (including per UIL rule, cheerleading) under Section 38.156 may not be permitted to practice or participate again following the force or impact believed to have caused the concussion until:

- (1) the student has been evaluated, using established medical protocols based on peer-reviewed scientific evidence, by a treating physician chosen by the student or the student 's parent or guardian or another person with legal authority to make medical decisions for the student;
- (2) the student has successfully completed each requirement of the return-to-play protocol established under Section 38.153 necessary for the student to return to play;
- (3) the treating physician has provided a written statement indicating that, in the physician 's professional judgment, it is safe for the student to return to play; and
- (4) the student and the student's parent or guardian or another person with legal authority to make medical decisions for the student:
- (A) have acknowledged that the student has completed the requirements of the return-to-play protocol necessary for the student to return to play;
- (B) have provided the treating physician 's written statement under Subdivision (3) to the person responsible for compliance with the return-to-play protocol under Subsection (c) and the person who has supervisory responsibilities under Subsection (c); and
- (C) have signed a consent form indicating that the person signing:
- (i) has been informed concerning and consents to the student participating in returning to play in accordance with the return-to-play protocol;
- (ii) understands the risks associated with the student returning to play and will comply with any ongoing requirements in the return-to-play protocol;
- (iii) consents to the disclosure to appropriate persons, consistent with the Health Insurance Portability and Accountability Act of 1996 (Pub. L. No. 104-191), of the treating physician 's written statement under Subdivision (3) and, if any, the return-to-play recommendations of the treating physician; and

(iv	v) u	nderstands	the imm	unity prov	isions un	der Sect	tion 3	8.159	
-----	------	------------	---------	------------	-----------	----------	--------	-------	--

Parent or Guardian Signature	Date	
Student Signature	Date	



RETURN-TO-PLAY PROTOCOL FOLLOWING CONCUSSION

The athlete must meet all the following criteria in order to progress to activity:

- Asymptomatic at rest and with normal activities (including mental exertion in school)
- Demonstrate normal scores on cognitive assessment (e.g., SCATTM) as determined by a neuropsychologist or a physician trained with expertise in concussion management and interpretation of neurocognitive test results.

Once the above criteria are met, the athlete can progress back to full sports participation following a step-wise progression, preferably under the direct supervision of an Athletic Trainer. Progression is individualized and will be determined on a case by case basis. Factors that may affect the rate of progression include: acute markers of injury (e.g., loss of consciousness or amnesia); previous history of head injury/concussion; duration and type of symptoms; age of athlete; and sport or activity in which the athlete participates.

STEP-WISE PROGRESSION: The athlete should be held out of all activities until asymptomatic at rest for at least 24 hours though it is preferred to be asymptomatic for at least a 48 hour period. This asymptomatic period includes mental exertion in school to help reduce the re-emergence of symptoms once initiating the return to play protocol.

PLEASE NOTE: If any concussive symptoms occur while returning to play, the athlete should stop all activity until asymptomatic for another 1-2 days. Once symptoms resolve, resume with the phase in which the athlete was previously asymptomatic (back to previous successful phase).

DO NOT PROGRESS MORE THAN <u>ONE</u> STEP PER DAY THROUGH THIS PROTOCOL. Each step should take a minimum of <u>ONE</u> day (24 hour period) to complete in order to evaluate for any post-concussion symptoms that may occur during aerobic activity or between exertional sessions. Proceed to the next level ONLY if asymptomatic at the current level and throughout the recovery period. If the next progression step occurs over a weekend, only advance ONE step, not two, to allow for the protocol supervisor to review any post-concussion symptoms that may occur.

STEP	Rehabilitation Stage	Functional Exercise at Each Stage of Rehabilitation	Objective of Each Stage
1.	Light aerobic exercise	Light aerobic activity (10-15 mins) Ex: Stationary bike, walking, etc. NO resistance training.	Increase HR
2.	Moderate aerobic exercise	Moderate aerobic activity (20-30 mins) Ex: Jogging, Elliptical, Stationary Bike, Etc. Light resistance training.	Increase HR, cardiovascular endurance
3.	Sport-specific, non-contact	General, individual sport-specific drills without contact; NO head impact activities; Continue LIGHT resistance training.	Add movement, change of direction
4A.	Sport-specific, light-contact	Progression to more complex, light contact sport-specific Training drills with NO live opponent contact drill, (e.g., Passing drills in football or soccer, sleds in football); Progressive return to head impact activities. Progressive return to normal resistance training.	Exercise, coordination, and cognitive load
4B.	Full contact practice	Progress to participate in normal Training activities but NO games or competition play.	Restore confidence and assess functional skills by coaching staff.
5.	Full sports participation	Return to FULL sports participation. Normal game play As tolerated, monitor symptoms. (Note: In absence of competition, off-season athletes must complete an additional Phase 4b lieu of Phase 5 to fulfill RTP requirements	



SBISD Return-to-Play Post-Concussion Instructions for Middle School Coaches

- 1. When a Head Injury Occurs:
 - A. Have the parent complete the SBISD Home Instructions for Head Injury Form
 - The coach keeps the white copy.
 - B. Using the Head Injury Referral Form:
 - Complete the top part of the form.
 - Call the parent/send the student to the doctor.
 - The physician should complete their part of the form and return it with the student to you.
- 2. Contact the high school athletic trainer, middle school nurse and the SBISD Athletic Department to notify them of student injury.
 - A. Create a folder, using the SBISD Concussion Folder Check Sheet, for the student-athlete so that all materials may be placed in the folder to take to the HS athletic trainer when the student-athlete is ready to be released.
- 3. Using the SBISD Post-Concussion Symptom Checklist:
 - A. The middle school nurse/campus designee will document the student-athlete's condition daily on the checklist. Multiple checklist forms may be used during the documentation process.
 - B. The student must be symptom-free before they are allowed to engage in physical activity.
 - C. Refer to Phase I of the *Stepwise Return-to-Play Documentation Checklist* to begin progression into full activity.
- 4. Using the Stepwise Return-to-Play Documentation Checklist:
 - A. Go through Phases 1 through 4B.
 - B. Multiple checklist forms may be used during the documentation process.
 - C. If the student-athlete experiences any post-concussion symptoms, they must revert back to the previous phase of activity, after being symptom free for 24 hours.

- 5. Contact the high school athletic trainer or middle school nurse with any questions or concerns. Notify them of the student's progress within each phase.
- 6. A meeting with the high school athletic trainer must be set up so that he/she can review all forms, evaluation checklists, and meet with the student-athlete before signing off on the *UIL Concussion Management Protocol Return-to-Play Form*.
 - A. The parent and athletic trainer must sign off on the *UIL Concussion Management*Protocol Return-to-Play Form before a student-athlete may begin competition after a concussion.
 - B. A coach does not have the authority to allow a student-athlete to return to play after a concussion.
- 7. Once all forms are complete, scan and upload all completed Return-to-Play documents to the SBISD electronic filing system.

Middle School Student-Athlete Head Injury Flow Chart

School Day

- Evaluated by school nurse
- Nurse notifies parent/guardian
- Nurse gives athletic concussion forms to parent or student
- Nurse notifies campus athletic coordinator (CAC) at the middle school and athletic trainer (AT) at the high school feeder pattern

After School

- Removed from play by coach for suspected head injury
- Evaluated by the athletic trainer (AT) (when present).
- CAC is notified by coach or AT immediately.
- Coach or AT notifies parent/guardian/emergency contact by phone immediately.
- Coach or AT gives athletic concussion forms to parent.
- Coach notifies the district athletic office, school nurse and principal before next school day.

Student sees authorized health care provider (HCP) for concussion evaluation

Nurse follows up with student upon return to school. Head Injury Referral Form returned to the nurse.

Yes - Concussion Diagnosis

- School nurse immediately notifies CAC, ACAC, AT, Coach and physical education staff
- School nurse notifies guidance, teachers, and administration of academic accommodations needed
- Student is symptom-free for 24 hours and reevaluated by designated school health care provider
- Nurse/campus Designee implement RTP program

No Concussion Diagnosis

School nurse notifies CAC and AT (when present)

Student has no concussion symptoms

Student has symptoms of a concussion (reported by student or noted in school by teacher, nurse, AT or staff).

Cleared

Not Cleared

- Parent is notified
- Student unable to play due to signs and symptoms of concussion
- School immediately notifies CAC, ACAC, Coach and PE staff
- Begin steps on SBISD Middle School Concussion Folder Checklist

Supplement A4

SBISD Middle School Post-Concussion Protocol Checklist

	me: Student ID
Home Grade:	Sport:
	□ Instructions for Head Injury
	o Parent completes form
	o Keep white copy on file
	☐ Head Injury Referral Form
	o Complete top of form
	o Call Parent
	o Refer to Doctor
	o Doctor completes form
	 Head Injury Form returned with student-athlete to Athletic Trainer/M.S. nurse & coac
	 Start folder for athlete, using the MS Concussion Folder Checklist, to collect all paperwork specific to concussion
	□ Contact:
	o Athletic Trainer
	o Middle School Nurse
	o Athletic Department
	□ Complete:
	o Post-Concussion Symptom Checklist Daily Until Cleared (Nurse/Campus Designee)
	☐ Stepwise Return-to-Play Documentation Checklist
	o Phase 1
	o Phase 2
	o Phase 3
	o Phase 4A
	o Phase 4B
	□ Contact: About progress
'	o Athletic Trainer
	o Middle School Nurse
	o Athletic Department
	☐ Send <i>UIL Concussion Management Protocol Return-to-Play</i> form home to be signed by
l	parent. (Supplement C3)
I	 Meet with High School Athletic Trainer to review folder and sign on appropriate forms and evaluations
!	□ Stepwise Return-to-Play Protocol
	o Phase 5-Return to FULL sports participation
	 **Note: In absence of competition, off-season athletes must complete an additional Phase 4b in lieu of Phase 5 to fulfill RTP requirements.
I	☐ Upload all completed Return-to-Play documents to the SBISD electronic filing system
Completed by	

SBISD Middle School Concussion Folder Checklist

Athlete's Name:	Student ID:
Grade:	Sport:
☐Post-Concussion Check List	
☐Completed Head Injury Refer	rral Form with Dr. recommendations
☐Home Instructions for Head	Injury Signed
☐Post-Concussion Symptom Cl	heck List(s) completed
☐Stepwise Return-to-Play Doct	umentation Checklist completed
□UIL Concussion Management	t Protocol Return-to-Play Form Signed
Completed by:	
Approved by:	

HEAD INJURY REFERRAL FORM

ATHLETEINFORMATION			
Name:	Sport:		Date:
Condition Occurred: [] Practice [] Competition	[] Club Sport	[] Home	[] Other:
Mechanism ofInjury:			
Signs observed	<u></u>]§	igns reported by	athlete:
Appears to be dazed or stunned		Headache	
Is confused about assignment Forgets plays		— Nausea	
Is unsure of game, score, or opponent			ems or dizziness
Moves clumsily		 Double or fuzz Sensitivity to li 	· i
Answers questions slowly Loses consciousness (even temporarily)		Feeling sluggi	
Shows behavior or personality change	İ	Feeling "foggy	
Forgets events prior to hit (retrograde amnesia		- Change in sle	
Forgets events after hit (anterograde amnesia)		— Concentration	or memory problems
Observations reported by (name):			
STEP-WISE RETURN-TO-PLAY PROTOCOL (Athle	ete will only adva	ince ONE phase	per day):
must complete an additional Pha- NOTE – Athlete activity progression continues as alon post-concussion symptoms, stop physical activity unt the athlete should stop all activity until asymptomatic athlete was previously asymptomatic (back to previous ALL ATHLETES MUST SUCCESSFULLY COMPLETE TH	10-15 minutes); no vity (20-30 minute o contact drills; proget contact drills; NO games or congames or competiese 4b in lieu of Phg as athlete is asyn il symptom free for another 1-2 days successful phase in STEPWISE RETUR	oresistance trainirs); light resistance gressive return to progressive return mpetition play. In absersase 5 to fulfill RTI mptomatic at currer 24 hours. If any cors. Once symptoms.).	og. In training. In to normal resistance training. It to normal resistance training. Ince of competition, off-season athletes Prequirements. In the level. If athlete experiences any concussive symptoms occur while returning to play, a resolve, resume with the phases in which the
PHYSICIAN INFORMATION	THE ON CORPETITION	M IN ACCORDANCE	WITH H.B. 2006.
Diagnosis:			
The above named athlete was referred due to he professional judgment that the athlete may begin completed the Return-to-Play protocol, he/she in Athlete is NOT CLEARED at this time and protocol. Athlete is to return to clinic for furtile.	in the Return-to- s sage to return is not allowed to p	Play protocol on to full unrestrictor participate in the R	ce asymptomatic. Once the athlete has ed sports participation. Return-to-Play
Athlete is CLEARED to begin the required F	Return-to-Play propact. Once the atl	tocol once asympt	comatic, under the supervision of the Athletic e protocol successfully, he/she does not need
Athlete is cleared to begin the required Retu school nurse, and designated coach. Once MUST RETURN FOR RE-EVALUATION by	the athlete compl	etes the protocol s	successful, he/she
Physician Name Printed:			
Physician Signature:			
Physician Address:			
Physician Telephone:		Physician fax:	
Athletic Trainer or school nurse clearance is	required for fu	ıll unrestricted	participation.
Signature:		Date:	

Supplement B1



Spring Branch ISD Home Instructions for Head Injury

	(athlete name) is being monitored for the possibility of a head injury, called a concussion on (date) while participating in an athletic event. The following are instructions for this person's care over the next few days.
1 2 3 4 5 6	Do not drive a vehicle Rest. No physical activity (full physical rest) No TV/Video Games/Computer/TextMessaging Do not take Aspirin or Ibuprofen (Advil, Motrin) or Naproxen (Aleve) Tylenol (Acetaminophen) may be acceptable You may sleep, but should be checked on periodically if exhibiting moderate to severe symptoms
	Signs and symptoms of a closed head injury do not always present until hours or sometimes days after the initial trauma. Due to this fact, you should be aware of possible signs and symptoms that indicate a significant head injury including but not limited to the following.
1 2 3 4 5 6 7 8 9	Persistent or repeated vomiting Convulsions/seizure Vision changes Any peculiar movements of the eyes, or if one pupil is larger than the other Restless, irritability, or drastic changes in emotional control Difficulty walking Difficulty speaking or slurred speech Progressive or sudden impairment of consciousness Bleeding or drainage of fluid from the nose or ears Any other abnormal behavior and/or sign or symptom
	If any of the above occurs call an ambulance or take the athlete to the hospital Emergency Room. Emergency Phone Numbers: EMS-911
	Supervising School Official:
	Athletic Trainer:Office/Cell Number:
	Parent/Guardian Contact: Yes No Notes: SBISD athletes who have sustained a concussion will be required to follow up with their licensed athletic trainer or middle school coach and school nurse each day until cleared by a physician. Although cleared by a physician, the athlete must still pass the progressive Return-to-Play protocol before they will be considered for release to full activity. (HB 2038, Natasha's Law)
	Student Signature:Date:
	Parent/Guardian Signature:Date:

Spring Branch ISD Post-Concussion Symptom Checklist

Page 1 Page 1 Page 1	Suj			0							
Please use this scale to rate each Date & Inne Date & I					Report Administ	trator:	;				
Reported Symptoms Pre Post The Endache Pre Pre </td <td></td> <td>ate each</td> <td></td> <td>None</td> <td>Mild</td> <td></td> <td>Modera</td> <td>E</td> <td>Severe</td> <td></td> <td></td>		ate each		None	Mild		Modera	E	Severe		
Date & Time Date & Time Date & Time Reported Symptoms Pre Post Reported Symptoms Pre Head-ache Nausea Predache Predache Predache Nomiting Balancer Nomiting Balancer Problems Promiting Balancer Problems Diziness Until Balancer Problems Diziness Diziness Lightheadechers Lightheadechers Predache Extigue Proble falling saleep Proble falling saleep Proble falling saleep Trouble falling saleep Trouble falling saleep Trouble falling saleep Predache Sieeping more than usual Sieeping more than usual Sieeping more than usual Sieeping more than usual Drowniness Sensitivity to light Sieeping more than usual Sieeping more than usual Sieeping more than usual Drowniness Sensitivity to light Sensitivity to light Sieeping more than usual Sieeping more than usual Drowniness Sensitivity to light Sadness Sensitivity to light Sensitivity to light Sadness Sadness				0			3	4	5		
ted Symptoms Pre Post Reported Symptoms Pre Post che Ing Headache Predache Predache nig Nausea Vomiting Predache Predache res Vomiting Vomiting Predache res Vomiting Problems Problems res Lightheadedness Lightheadedness Problems res E falling saleep Trouble falling asleep Trouble falling asleep Trouble falling asleep re falling saleep Sleeping less than usual Sleeping roce than usual Sleeping roce than usual Sleeping roce than usual ricks Sensitivity to night Sensitivity to night Sensitivity to night Santass ss Santass Santass Santass Santass lifty to noise Irritability Santass Nervous/Anxious recling more emotional Recling more emotional Nervous/Anxious resistor down Recling like "in a fog" Pifficulty concentrating Difficulty concentrating riky remembering Pissual problems					Date & Time				Date & Time		
Headache a Nausea Nomiting Balance Problems Ee Problems Balance Problems Dizziness Eededness Ee Problems Dizziness Eededness Eedednes	Reported Symptoms	Pre	Post		Reported Symptoms	Pre	Post		Reported Symptoms	Pre	Post
agaededises Nausea re Problems Vomiting eadedness Dizziness eadedness Lightheadedness eadedness Lightheadedness e falling asleep Fatgen ng more than usual Sleeping more than usual ng more than usual Sleeping less than usual ng more than usual Sleeping less than usual nikty to light Sensitivity to light sility Sansitivity to noise lifty to noise Irritability sility Sadness sility Sadness g more emotional Numbness or tingling mess or tingling Feeling ike "in a fog" lift culty remembering Difficulty concentrating lity remembering Visual problems Other Total nents: Comments:	Headache				Headache				Headache		
ring balance Problems ess eadedness Eatigue Troublems Itroublems Itroublems Eefiling asleep Itroublems I	Nausea				Nausea				Nausea		
Belance Problems Bests Dizziness Lightheadedness eadedness eadedness eadedness Earling Vomiting				Vomiting				Vomiting			
big	Balance Problems				Balance Problems				Balance Problems		
telling asleep Trouble falling asleep Be fatigue Trouble falling asleep Be more than usual Beeping less than usual Beeping less than usual Beeping less than usual Browsiness Sensitivity to light Sadness Sensitivity to noise Irritability Sadness Sowed down Beeling sleep Trouble falling asleep Drowsiness Sensitivity to noise Irritability Sadness Numbness or tingling Beling slowed down Feeling like "in a fog" Difficulty concentrating Difficulty remembering Visual problems Other Total Phase:	Dizziness				Dizziness				Dizziness		
Fetigue Ferigue Trouble falling asleep Trouble falling asleep Trouble falling asleep Trouble falling asleep Sleeping more than usual Sleeping less than usual Sleepin	Lightheadedness				Lightheadedness				Lightheadedness		
Irrouble falling asleep Bleeping more than usual Bleeping more than usual Bleeping more than usual Bleeping more than usual Bleeping less than usual Browsiness Sensitivity to light Sanness Ility Sanness or tingling B slowed down B slowe	Fatigue				Fatigue				Fatigue		
ng more than usual Sleeping more than usual ng less than usual Sleeping less than usual siness Sensitivity to light vity to light Sensitivity to noise lifty Sensitivity to noise vity to noise Irritability ss Nervous/Anxious g more emotional Nervous/Anxious g slowed down Feeling slowed down g slowed down Feeling slowed down g ilke "in a fog" Difficulty concentrating gilk remembering Difficulty remembering problems Other Total Phase:	Trouble falling asleep				Trouble falling asleep				Trouble falling asleep		
ng less than usual Sleeping less than usual liness Drowsiness livity to light Sensitivity to light vity to noise Irritability ss Irritability ss Nervous/Anxious g more emotional Nervous/Anxious g more emotional Nervous/Anxious g more emotional Numbness or tingling g slowed down Feeling slowed down g slowed down Feeling slowed down Iffy concentrating Difficulty concentrating lity concentrating Difficulty remembering problems Other Total Phase: nents: Comments:	Sleeping more than usual				Sleeping more than usual				Sleeping more than usual		
Invity to light Sensitivity to light Sensitivity to noise Ility Sadness ss light Sadness lifty Sadness light Sadness Nervous/Anxious Feeling more emotional Numbness or tingling g slowed down g slike "in a fog" Ilty concentrating problems problems Other Total Phase: Comments:	Sleeping less than usual				Sleeping less than usual				Sleeping less than usual		
Notity to light Sensitivity to light Null your or or illity Sensitivity to noise Ility Sadness ss Nervous/Anxious ss Nervous/Anxious g more emotional Feeling more emotional ness or tingling Feeling more emotional g slowed down Feeling slowed down g like "in a fog" Feeling slowed down Feeling slowed down Feeling like "in a fog" Ity concentrating Difficulty concentrating problems Visual problems Other Total Phase: Comments:	Drowsiness				Drowsiness				Drowsiness		
Inity to noise Sensitivity to noise lifty Irritability ss Sadness lifty Sadness us/Anxious Nervous/Anxious g more emotional Numbness or tingling ness or tingling Feeling more emotional g slowed down Feeling slowed down g ike "in a fog" Difficulty concentrating lty concentrating Difficulty remembering problems Other cother Total phase:	Sensitivity to light				Sensitivity to light				Sensitivity to light		
lifty Sadness Us/Anxious In sess or tingling g slowed down g slowed down g like "in a fog" Ity concentrating problems problems Pealing like "in a fog" Difficulty concentrating Problems Protal Difficulty remembering Other Total Comments: Comments:	Sensitivity to noise				Sensitivity to noise				Sensitivity to noise		
Sadness Nervous/Anxious Feeling more emotional ness or tingling g slowed down g slowed down g like "in a fog" lity concentrating problems problems problems Phase: Difficulty remembering problems Other Total Phase: Comments:	Irritability				Irritability				Irritability		
us/Anxious Nervous/Anxious g more emotional Feeling more emotional ness or tingling Numbness or tingling g slowed down Feeling slowed down g like "in a fog" Feeling like "in a fog" lity concentrating Difficulty concentrating lity concentrating Difficulty remembering problems Other Total Phase:	Sadness				Sadness				Sadness		
g more emotional Feeling more emotional ness or tingling Numbness or tingling g slowed down Feeling slowed down g like "in a fog" Feeling like "in a fog" liky concentrating Difficulty concentrating problems Visual problems problems Other Total Phase: nents: Comments:	Nervous/Anxious				Nervous/Anxious				Nervous/Anxious		
ness or tingling Numbness or tingling g slowed down Feeling slowed down g like "in a fog" Feeling like "in a fog" liky concentrating Difficulty remembering lity remembering Visual problems problems Other Total Phase: nents: Comments:	Feeling more emotional				Feeling more emotional				Feeling more emotional		
g slowed down g like "in a fog" Feeling like "in a fog" Difficulty concentrating problems problems Other Total Phase: Comments:	Numbness or tingling				Numbness or tingling				Numbness or tingling		
lty concentrating lty concentrating lty remembering problems problems Other Total Phase: Comments: Comments:	Feeling slowed down				Feeling slowed down				Feeling slowed down		
lity concentrating Difficulty concentrating lity remembering Difficulty remembering problems Visual problems Other Difficulty remembering Total Dhase: nents: Comments:	Feeling like "in a fog"				Feeling like "in a fog"				Feeling like "in a fog"		
problems problems problems problems Other Total Phase: Comments:	Difficulty concentrating				Difficulty concentrating				Difficulty concentrating		
problems Visual problems Other Other Total Phase: nents: Comments:	Difficulty remembering				Difficulty remembering				Difficulty remembering		
Other Other	Visual problems				Visual problems				Visual problems		
e:	Other				Other				Other		
Phase: Comments:	Total				Total				Total		
Comments:	Phase:				Phase:				Phase:		
	Comments:				Comments:				Comments:		

****This form must be completed daily (Nurse/Campus Designee)

*If the student-athlete experiences any post-concussion symptoms during the return to activity progression, activity is discontinued and the student-athlete must Athlete No physical activity until student-athlete is symptom free for 24/48 hours and receives written clearance from a physician using the Head Injury Coach/LAT *Symptoms Reported Stepwise Return-to-Play Documentation Checklist Date of Injury: Description of Activity Referral Form. Phase 4B- Full contact drills; participate in normal training activities but NO games or competition play. **Phase 4A-** Sport-specific drills, light contact drills with NO live opponent contact drills. Progressive return to normal Phase 1- Light aerobic exercise, walking or stationary bike, Phase 2-Moderate aerobic exercise, stationary bike, elliptical, jogging keeping intensity <85% max heart rate. Begin light resistance training. complete an additional Phase 4b in lieu of Phase 5 to Phase 3-Sport-specific drills without contact; NO head impact activities. Continue Light resistance training. **Phase 5-** Return to FULL sports participation. A SBISD Athletic Trainer is the only SBISD employee allowed to release an athlete to unrestricted activity. **Note: In absence of competition, off-season athletes must 10-15 minutes, <70% max heart rate. NO resistance Level fulfill RTP requirements. resistance training. training. Athlete Name: Date

** In order for an athlete to be released to unrestricted activity, the following documents must be completed and returned to the athletic trainer. 1. The Head Injury Referral Form

be re-evaluated by a licensed health care professional.

2. The UIL Return-to-Play Form (The athletic trainer will act as the designated school district official and fill out that portion of the form)

3. The Post-Concussion Symptom Check (This form will be filled out by the school nurse/campus designeeat the Middle School level)

4. The Stepwise Return-to-Play Documentation Checklist



Concussion Management Protocol Return to Play Form

This form must be completed and submitted to the athletic trainer or other person (who is not a coach) responsible for compliance with the Return to Play protocol established by the school district Concussion Oversight Team, as determined by the superintendent or their designee (see Section 38.157 (c) of the Texas Education Code).

	Student Name (Please Print)	Colord Nove (Dlove Print)
Desi	gnated school district official verifies	School Name (Please Print)
ease Chec		•
	The student has been evaluated by a treating pherson with legal authority to make medical de-	hysician selected by the student, their parent or other cisions for the student.
	The student has completed the Return to Play p Oversight Team.	protocol established by the school district Concussion
	The school has received a written statement fro physician's professional judgment, it is safe for	
1	School Individual Signature	Date
	School Individual Name (Please Print)	
stud	ent signs and certifies that he/she:	ity to make medical decisions for the
ase Check	Has been informed concerning and consents to accordance with the return to play protocol esta	
	Understands the risks associated with the stude requirements in the return to play protocol.	nt returning to play and will comply with any ongoing
		ns, consistent with the Health Insurance Portability and 91), of the treating physician's written statement under ecommendations of the treating physician.
	Understands the immunity provisions under Sec	ction 38.159 of the Texas Education Code.
-	Parent/Responsible Decision-Maker Signature	Date